

SUJKA'S SERVICE TO PRESENT: GARDEN BARS

GARDEN BAR NO.1

Overall External Dimensions:

–1.80m (5' 10") x 2.40m (7' 10")

External Width: 1.7m (5' 6")

External Depth: 2.4m (7' 10")

Internal Width: 1.1 (3' 7")

Internal Depth: 2.23m (7' 3")

Internal Area(m2): 2.45m2

Ridge Height: 2.24m (7' 4")

Front roof overhang: 500MM

Roof: 10mm Slate Effect WPC
(Wood Polymer Composite)

Internal Eaves Height: 1.85M

Hatch opening size: 1.5M X 0.75M

Shelf length: 1500MM

Shed Door Locking System:

Security Hasp & Clasp

Timber: Pressure Treated Slow Grown Spruce

Framing: 35MM X 35MM

Walls: 15mm Shiplap Cladding

Floor Thickness: 10mm MFP NOT cheap OSB

Floor Bearers: Pressure Treated



GARDEN BAR NO.2

Overall External Dimensions:

– 2.40m (7' 10") x 2.40m (7' 10")

External Width: 2.4m (7' 10")

External Depth: 2.4m (7' 10")

Internal Width: 1.64m (5' 4")

Internal Depth: 1.64m (5' 4")

Internal Area(m²): 2.33m²

Overall Height: 2.51m (8' 2")

Front roof overhang: 1.8m (5' 10")

Roof Thickness: 15mm Shiplap Cladding

Internal Eaves Height: 1.8M

Hatch opening size: . 1.54m (5' 0") x 0.75m (2' 5")

Shelf length: 2230mm

Shed Door Style: Stable Door

Shed Door Locking System: Security Hasp & Clasp

Door Opening Size: 0.72m x 1.7m (2' 4" x 5' 6")

Timber: P ressure Treated Slow Grown

Framing: 35mm x 35mm

Walls: 15mm Shiplap Cladding

Floor Thickness: 10mm MFP NOT cheap OSB

Floor Bearers:. Pressure Treated



GARDEN BAR NO.3

Overall External Dimensions:	4.35m (14' 3") x 3.18m (10' 5")
External Width:	4.25m (13' 11")
External Depth:	2.99m (9' 9")
Internal Width:	4.03m (13' 2")
Internal Depth:	2.77m (9' 1")
Internal Area(m2):	11.18m²
Ridge Height:	2.49m (8' 2")
Internal Eaves Height:	2.40m (7' 10")
Roof Thickness:	19mm Tongue & Groove
Wall U-Value (W/m2k):	1.93
Walls:	100% Slow-Grown spruce
Floor Bearers:	Pressure treated
Floor Thickness:	19mm Tongue & Groove
Door Locking System:	Industry Leading 4 Point Lock - 2 Cams, Latch & Hook Bolt
Window Locking System:	Multi-Point Locking Points with Espagnolettes
Bar:	Low top log bar included
Bar Width:	1.5m (4' 11")
Bar Depth:	0.83m (2' 8")
Bar Height:	0.95m (3' 1")



GARDEN BAR NO4.

Overall External Dimensions:	5.50m (18' 0") x 3.74m (12' 3")
External Width:	5.50m (18' 0")
External Depth:	3.50m (11' 5")
Internal Width:	5.27m (17' 3")
Internal Depth:	3.27m (10' 8")
Internal Area(m2):	17.23m ²
Ridge Height:	2.45m (8' 0")
Internal Eaves Height:	2.08m (6' 9")
Roof Thickness:	19mm Tongue & Groove
Wall U-Value (W/m2k):	1.93
Walls:	100% Slow-Grown spruce
Floor Bearers:	Pressure treated
Floor Thickness:	19mm Tongue & Groove
Door Locking System:	Industry Leading 4 Point Lock - 2 Cams, Latch & Hook Bolt
Window Locking System:	Multi-Point Locking Points with Espagnolettes
Bar:	Low top log bar included
Bar Width:	1.5m (4' 11")
Bar Depth:	0.83m (2' 8")
Bar Height:	0.95m (3' 1")



GARDEN BAR NO. 5

Overall External Dimensions:	4.19m (13' 8") x 3.16m (10' 4")
External Width:	4.00m (13' 1")
External Depth:	3.07m (10' 0")
Internal Width:	3.79m (12' 5")
Internal Depth:	2.86m (9' 4")
Overall Height:	2.48m (8' 1")
Internal Eaves Height:	1.88m (6' 2")
Timber:	Spruce
Walls:	15mm Shiplap walls
Uprights:	70mmx70mm
Roof:	15mm shiplap boards
Roof covering options:	None, felt or shingles
Bar:	Low top log bar included
Bar Width:	1.5m (4' 11")
Bar Depth:	0.83m (2' 8")
Bar Height:	0.95m (3' 1")



GARDEN BAR NO.6

Overall External Dimensions:	3.20m (10' 5") x 3.20m (10' 5")
External Width:	3.03m (9' 11")
External Depth:	3.03m (9' 11")
Internal Width:	2.66m (8' 8")
Internal Depth:	2.66m (8' 8")
Overall Height:	3.04m (9' 11")
Internal Eaves Height:	2.27m (7' 5")
Roof Thickness:	19mm Tongue & Groove
Timber:	Spruce
Uprights:	145mmx145mm
Roof:	19mm Tongue and groove boards
Roof covering options:	None, felt or shingles
Bar:	Low top log bar included
Bar Width:	1.5m (4' 11")
Bar Depth:	0.83m (2' 8")
Bar Height:	0.95m (3' 1")









**LOG BAR
INCLUDED**