

SUJKA'S SERVICE TO PRESENT: LOG CABINE BROCHURE



NO 1. SPECIFICATION

External Width: 2.50m (8' 2")

External Depth: 2.50m (8' 2")

Roof Overhang: 0.58 m (1' 10")

Ridge Height: 2.45m (8' 0")

Internal Eaves Height: 2.02m (6' 7")

Wall Thicknesses Available: 28mm and 45mm

45mm Wall Thickness: On Other Sizes

Door Height (inc. frame): 2.02m (6' 7")

Door Walkthrough Height: 1.88m (5' 11")

Door Walkthrough Width: 1.55m (5' 1")

Window Opening Size: 0.66m x 1.08m (2' 1" x 3' 6")

Wall U-Value (W/m²k): 2.59 **Internal Width:** 2.30m (7' 6") **Internal Depth:** 2.30m (7' 6") **Internal Area (m²):** 5.29m²

OTHER SIZES AVAILABLE

W3.0m x D2.0m W3.0m x D6.0m W3.0m x D7.0m W3.0m x D8.0m W3.0m x D9.0m

W3.0m x D3.0m W4.5m x D3.0m W3.0m x D4.0m

W3.0m x D5.0m W4.5m x D4.0m



NO 2. SPECIFICATION

External Width: 5.00m (16' 4")

External Depth: 3.00m (9' 10")

Roof Overhang: 0.58m (1' 10")

Ridge Height: 2.44m (8' 0")

Internal Eaves Height: 2.02m (6' 7")

Wall Thicknesses Available: 28mm, 45mm, 140mm equiv.

Door Height (inc. frame): 2.02m (6' 7") **Door Walkthrough Height:** 1.82m (5' 11") **Door Walkthrough Width:** 1.55m (5' 1") **Window Opening Size:** 0.66m x 1.08m (2' 1" x 3' 6")

Wall U-Value (W/m²k): 2.59 **Internal Width:** 4.80m (15' 8") **Internal Depth:** 2.80m (9' 2") **Internal Area (m²):** 13.44m²

OTHER SIZES AVAILABLE W5.0m x D4.0m W6.5m x D3.0m W5.0m x D5.0m W5.0m x D2.5m

W6.5m x D4.0m W6.5m x D5.0m W5.0m x D6.0m



NO 3. SPECIFICATION

External Width: 4.00m (13' 1")

External Depth: 3.00m (9' 10")

Internal Width: 3.8m (12' 5")

Internal Depth: 2.8m (9' 2")

Internal Area (m2): 10.64 m2

Ridge Height: 2.46m (8' 0")

Internal Eaves Height Front: 2.33m (7' 7") **Internal Eaves Height Back:** 2.07m (6' 9") **Wall Thickness:** 28mm and 45mm **Glazing Options:** 4mm Single Glazing Or 24mm Double Glazing.

Wall U-Value (W/m2k): 2.59

Window Opening Size: 0.43m x 1.37m

(1' 4" x 4' 5")

Door Height (Walkthrough Height): 1.82m (5' 11")

Door Width (Walkthrough Width): 1.11m (3' 7")

OTHER SIZES AVAILABLE

W2.5m D2m W3m x D3m W3.5m x D3.5m

W4.5m x D2.5m W5.5m x D3.0m W6.0m x D4.0m

W3.0m x D2.5m W3.5m x D2.5m W4m x D3m



NO 4. SPECIFICATION

External Width: 4.00m (13' 1")

External Depth: 3.00m (9' 10")

Roof Overhang: 0.50m (1' 7")

Ridge Height: 2.45m (8' 0")

Internal Eaves Height: 2.02m (6' 7")

Wall Thicknesses Available: 28mm, 45mm and 140mm

Door Height (inc. frame): 2.02m (6' 7") **Door Walkthrough Height:** 1.88m (6' 2") **Door Walkthrough Width:** 1.55m (5' 1") **Window Opening Size:** 0.66m x 1.08m (2' 1" x 3' 6")

Wall U-Value (W/m²k): 2.59 **Internal Width:** 3.80m (12' 5") **Internal Depth:** 2.80m (9' 2") **Internal Area (m²):** 10.67m²

See website for full specification

OTHER SIZES AVAILABLE

W4.0m x D6.0m W4.0m x D4.0m W4.0m x D7.0m W4.0m x D5.0m W4.0m x D2.5m



NO 5. SPECIFICATION

External Width: 5.50m (18' 0")

External Depth: 3.50m (11' 5")

Ridge Height: 2.45m (8' 0")

Internal Eaves Height Front: 2.19m (7' 2") **Internal Eaves Height Back:** 2.08m (6' 9") **Wall Thicknesses Available:** 45mm

Door Height (inc. frame): 2.02m (6' 7") **Door Walkthrough Height:** 1.88m (6' 2") **Door Walkthrough Width:** 1.55m (5' 1") **Window Opening Size:** 0.66m x 1.08m (2' 1" x 3' 6")

Wall U-Value (W/m²k): 1.93 **Internal Width:** 5.27m (17' 3") **Internal Depth:** 3.27m (10' 8") **Internal Area (m²):** 17.23m²

OTHER SIZES AVAILABLE

W5.5m x D2.5m W5.5m x D3.5m



NO 6. SPECIFICATION

External Width: 4.50m (14' 9")

External Depth: 3.50m (11' 5")

Ridge Height: 2.45m (8' 0")

Internal Eaves Height Front: 2.19m (7' 2") **Internal Eaves Height Back:** 2.08m (6' 9") **Wall Thicknesses Available:** 45mm and 140mm equiv.

Door Height (inc. frame): 2.02m (6' 7") **Door Walkthrough Height:** 1.88m (6' 2") **Door Walkthrough Width:** 1.55m (5' 1") **Window Opening Size:** 0.66m x 1.08m (2' 1" x 3' 6")

Wall U-Value (W/m²k): 1.93 **Internal Width:** 4.27m (14' 0") **Internal Depth:** 3.27m (10' 8") **Internal Area (m²):** 13.96m²

OTHER SIZES AVAILABLE

W4.5m x D2.5m W4.5m x D3.5m



NO 7. SPECIFICATION

External Width: 3.50m (11' 5")

External Depth: 2.50m (8' 2")

Ridge Height: 2.45m (8' 0")

Internal Eaves Height Front: 2.19m (7' 2") **Internal Eaves Height Back:** 2.08m (6' 9") **Wall Thicknesses Available:** 45mm and 140mm equiv

Door Height (inc. frame): 2.02m (6' 7") **Door Walkthrough Height:** 1.88m (6' 2") **Door Walkthrough Width:** 1.55m (5' 1") **Window Opening Size:** 0.66m x 1.08m (2' 1" x 3' 6")

Wall U-Value (W/m²k): 1.93 **Internal Width:** 3.27m (10' 8") **Internal Depth:** 2.27m (7' 5") **Internal Area (m²):** 7.42m²

OTHER SIZES AVAILABLE

W3.5m x D2.5m W3.5m x D3.5m W3.5m x D4.5m W5m x D3.5m

W5m x D4.5m



NO 8. SPECIFICATION

External Width: 5.89m (19' 3")

External Depth: 4.99m (16' 4")

Ridge Height: 2.83m (9' 3")

Internal Eaves Height: 2.13m (6' 11")

Wall Thickness: 45mm and 140mm equiv. **Glazing Options:** 24mm Double Glazing Included As Standard.

Door Walkthrough Height: 1.82m (5' 11") **Door Walkthrough Width:** 1.55m (5' 1") **Window Opening Size:** 0.66m x 1.08m (2' 1" x 3' 6")

Wall U-Value (W/m²k): 1.93 **Internal Width:** 5.67m (18' 7") **Internal Depth:** 4.77m (15' 7") **Internal Area (m²):** 27.05m²



NO 9. SPECIFICATION

External Width: 3.49m (11' 5") **External Depth:** 2.99m (9' 10") **Ridge Height:** 2.38m (7' 9")
Internal Eaves Height: 2.02m (6' 7") **Wall Thickness:** 45mm

Glazing Options: 24mm Double Glazing Included As Standard.

Door Walkthrough Height: 1.86m (6' 1") **Door Walkthrough Width:** 1.1m (3' 7") **Window Opening Size:** 0.43m x 1.37m (1' 4" x 4' 5")

Wall U-Value (W/m²k): 1.93 **Internal Width:** 3.27m (10' 8") **Internal Depth:** 2.77m (9' 1") **Internal Area (m²):** 9.06m²



NO 10. SPECIFICATION

External Width: 3.99m (13' 1") **External Depth:** 3.49m (11' 5") **Internal Width:** 3.77m (12' 4") **Internal Depth:** 3.27m (10' 8") **Internal Area (m²):** 12.33m²

Ridge Height: 2.38m (7' 9")

Internal Eaves Height: 2.08m (6' 9") **Wall Thickness:** 45mm

Door Height (Walkthrough Height): 1.82m (5' 11")

Door Width (Walkthrough Width): 1.09m (3' 6")

Glazing Material: 24mm Double Glazing **Wall U-Value (W/m²k):** 1.93

Window Opening Size: 0.43m x 1.37m
(1' 4"x 4' 5")

OTHER SIZES AVAILABLE

W4.0m x D3.5m W4.5m x D3.0m W5.0m x D3.5m



NO 11. SPECIFICATION

External Width: 4.56m (14' 11") **External Depth:** 3.06m (10' 0") **Internal Width:** 4.27m (14' 0") **Internal Depth:** 2.77m (9' 1") **Internal Area (m²):** 11.84m²
Ridge Height: 2.49m (8' 2") **Internal Eaves Height:** 2.20m (7' 2") **Wall Thickness:** 45mm

Door Height (Walkthrough Height): 1.88m (6' 2")
Door Width (Walkthrough Width): 1.55m (5' 1")

Glazing Material: 4mm Single Glazing **Wall U-Value (W/m²k):** 2.59
Window Opening Size: 0.66m x 1.08m (2' 1"x 3' 6")

Side Door Walkthrough Height: 1.88m (6' 2")
Side Door Walkthrough Width: 0.74m (2' 5")

Side Door Overall Frame Height: 2.02m (6' 7")

Side Door Overall Frame Width: 0.92m (3' 0")



NO 12. SPECIFICATION

External Width: 4.48m (14' 8") **External Depth:** 2.99m (9' 9")

Internal Width: 2.77m (9' 1") **Internal Depth:** 2.77m (9' 1") **Internal Area (m²):** 7.67m²

Ridge Height: 2.46m (8' 0") **Internal Eaves Height:** 2.32m (7' 7") **Wall Thickness:** 45mm

Door Height (Walkthrough Height): 1.82m (5' 11")

Door Width (Walkthrough Width): 1.11m (3' 7")

Glazing Material: 4mm Toughened Glass **Wall U-Value (W/m²k):** 1.93

Window Opening Size: 0.43m x 1.37m

(1' 4"x 4' 6")

OTHER SIZES AVAILABLE

W4.5m x D3m W5.5m x D3m W6.5m x D3m

W7.4m x D3m W8.5m x D3m W9.5m x D3.0m

W5m x D3.5m W6.0 x D3.5m W7.0m x D3.5m

W8.0 x D3.5m W9.0m x D3.5m W10.5 x D3.0m



NO 13. SPECIFICATION

External Width: 4.79m (15' 8")

External Depth: 2.99m (9' 9")

Ridge Height: 2.49m (8' 2")

Internal Eaves Height: 2.10m (6' 10")

Wall Thicknesses Available: 62mm Insulated Log (equivalent to 140mm thick U- Value)

Door Walkthrough Height: 1.88m (6' 2") **Door Walkthrough Width:** 1.55m (5' 1") **Window Opening Size:** 1.08m x 0.66m (3' 6" x 2' 1")

Wall U-Value (W/m²k): 0.69

Internal Width: 4.54m (14' 10")

Internal Depth: 2.74m (8' 11")

Internal Area (m²): 12.41m²

Insulated Roof Thickness: 60mm. Comprising a sandwich of MFP board, insulation, and tongue and groove timber. **Roof Covering:** Polyester Reinforced Bitumen Felt Included.

Insulated Floor Thickness: 50mm. Comprised of 30mm of insulation sandwiched between two 10mm MFP boards.



NO 14. SPECIFICATION

External Width: 3.80m (12' 5")

External Depth: 2.99m (9' 9")

Ridge Height: 2.49m (8' 2")

Internal Eaves Height: 2.15m (7' 0") **Wall Thicknesses Available:** 62mm **Door Walkthrough Height:** 1.88m (6' 2")

Door Walkthrough Width: 1.55m (5' 1") **Window Opening Size:** 0.66m x 1.08m (2' 1" x 3' 6")

Wall U-Value (W/m²k): 0.69

Internal Width: 3.54m (11' 7")

Internal Depth: 2.74m (8' 11")

Internal Area (m²): 9.70m²

Insulated Roof Thickness: 60mm. Comprising a sandwich of MFP board, insulation, and tongue and groove timber. **Roof Covering:** Polyester Reinforced Bitumen Felt Included.

Insulated Floor Thickness: 50mm. Comprised of 30mm of insulation sandwiched between two 10mm MFP boards.



NO 15. SPECIFICATION

External Width: 4.79m (15' 8")

External Depth: 3.80m (12' 5")

Ridge Height: 2.46m (8' 0")

Internal Eaves Height: 2.05m (6' 8") **Wall Thicknesses Available:** 62mm **Door Walkthrough Height:** 1.88m (6' 2")

Door Walkthrough Width: 1.55m (5' 1") **Window Opening Size:** 0.66m x 1.08m (2' 1" x 3' 6")

Wall U-Value (W/m²k): 0.69

Internal Width: 4.54m (14' 10")

Internal Depth: 3.55m (11' 7")

Internal Area (m²): 16.08m²

Insulated Roof Thickness: 60mm. Comprising a sandwich of MFP board, insulation, and tongue and groove timber. **Roof Covering:** Polyester Reinforced Bitumen Felt Included.

Insulated Floor Thickness: 50mm. Comprised of 30mm of insulation sandwiched between two 10mm MFP boards.



NO 16. SPECIFICATION

External Width: 2.80m (9' 2")

External Depth: 2.99m (9' 9")

Ridge Height: 2.49m (8' 2")

Internal Eaves Height: 2.10m (6' 10") **Wall Thicknesses Available:** 62mm

Door Walkthrough (Height): 1.88m (6' 2") **Door Walkthrough (Width):** 1.55m (5' 1") **Window Opening Size:** 1.08m x 0.66m (3' 6" x 2' 1")

Wall U-Value (W/m²k): 0.69

Internal Width: 2.55m (8' 4")

Internal Depth: 2.74m (8' 11")

Internal Area (m²): 6.96m²

Insulated Roof Thickness: 60mm. Comprising a sandwich of MFP board, insulation, and tongue and groove timber. **Roof Covering:** Polyester Reinforced Bitumen Felt Included.

Insulated Floor Thickness: 50mm. Comprised of 30mm of insulation sandwiched between two 10mm MFP boards.



NO 17. SPECIFICATION

External Width: 3.80m (12' 5")

External Depth: 2.80m (9' 2")

Ridge Height: 2.46m (8' 0")

Internal Eaves Height (Front): 2.16m (7' 1") **Internal Eaves Height (Back):** 2.05m (6' 8") **Wall Thicknesses Available:** 62mm

Door Walkthrough Height: 1.88m (6' 2") **Door Walkthrough Width:** 1.55m (5' 1") **Window Opening Size:** 1.08m x 0.66m (3' 6" x 2' 1")

Internal Width: 3.54m (11' 7")

Internal Depth: 2.54m (8' 3")

Internal Area (m2): 8.99m²

Insulated Roof Thickness: 60mm. Comprising a sandwich of MFP board, insulation, and tongue and groove timber. **Roof Covering:** Polyester Reinforced Bitumen Felt Included.

Insulated Floor Thickness: 50mm. Comprised of 30mm of insulation sandwiched between two 10mm MFP boards.



NO 18. SPECIFICATION

External Width: 5.40m (17' 8")

External Depth: 3.80m (12' 5")

Ridge Height: 2.47m (8' 1")

Internal Eaves Height (Front): 2.16m (7' 1") **Internal Eaves Height (Back):** 2.04m (6' 8") **Wall Thicknesses Available:** 62mm

Door Walkthrough Height: 1.88m (6' 2") **Door Walkthrough Width:** 1.55m (5' 1") **Window Opening Size:** 1.08m x 0.66m (3' 6" x 2' 1")

Wall U-Value (W/m²k): 0.69

Internal Width: 5.14m (16' 10")

Internal Depth: 3.54m (11' 7")

Internal Area (m²): 18.24m²

Insulated Roof Thickness: 60mm. Comprising a sandwich of MFP board, insulation, and tongue and groove timber. **Roof Covering:** Polyester Reinforced Bitumen Felt Included.

Insulated Floor Thickness: 50mm. Comprised of 30mm of insulation sandwiched between two 10mm MFP boards.



NO 19. SPECIFICATION

External Width: 5.80m (19' 0")

External Depth: 4.83m (15' 10")

Ridge Height: 2.86m (9' 4")

Internal Eaves Height: 2.10m (6' 10") **Wall Thicknesses Available:** 62mm **Door Walkthrough Height:** 1.88m (6' 2")

Door Walkthrough Width: 1.55m (5' 1") **Window Opening Size:** 1.08m x 0.66m (3' 6" x 2' 1")

Wall U-Value (W/m²k): 0.69

Internal Width: 5.54m (18' 2")

Internal Depth: 4.53m (14' 10")

Internal Area (m²): 25.09m²

Insulated Roof Thickness: 60mm. Comprising a sandwich of MFP board, insulation, and tongue and groove timber. **Roof Covering:** Polyester reinforced bitumen felt included

Insulated Floor Thickness: 50mm. Comprised of 30mm of insulation sandwiched between two 10mm MFP boards.



NO 20. SPECIFICATION

External Width: 3.99m (13' 1") **External Depth:** 2.99m (9' 9")
Ridge Height: 2.49m (8' 2")
Internal Eaves Height: 2.13m (6' 13") **Wall Thickness:** 45mm.

Glazing Options:

24mm Double Glazing Included As Standard.

Door Height (inc. frame): 2.05m (6' 8") **Door Walkthrough Height:** 1.82m (5' 11") **Door Walkthrough Width:** 1.10m (3' 7") **Window Opening Size:** 0.43m x 1.37m (1' 4" x 4' 5")

Wall U-Value (W/m²k): 1.93 **Internal Width:** 3.77m (12' 4") **Internal Depth:** 2.77m (9' 1") **Internal Area (m²):** 9.57m²



NO 21. SPECIFICATION

Internal Point At Highest: 181m (5' 11") (approx.)

External Point At Highest: 190m (6' 3") (approx.)

Wall Thickness: Heavy Duty 28mm Tongue & Groove Walls.

Door Walkthrough Height: 1.48m (4' 10") **Floor:** 19mm Tongue & Groove Floor Boards For A Sturdy Floor

Roof: 19mm Tongue And Groove Roof Timbers To Create A Sturdy Roof

